



IN240900083V02_US_CA

344-100V00



**NINJA LINE GREEN KIT BIG
KIT GRAND NINJA LINE VERT**



EN_IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY.

FR_IMPORTANT : A LIRE ATTENTIVEMENT ET A CONSERVER POUR VOUS Y REFERER
ULTERIEUREMENT.

A x12**B** x 2**C** x12**D** x 2**E** x 2**F** x 2**G** x 1**H** x 1**I** x 1**J** x 1**K** x 1**L** x 2

WARNING! Only for domestic use. Not suitable for children under 3 years. To be used under the direct supervision of an adult. Long cord, risk for strangulation! Risk of falling! This toy is intended for outdoor use.

WARNING

1. Weight limit: 440LBS (200kg)

2. ADULT: supervision required or serious injury and death may result.

Always need extreme caution when using the Ninja line kit. Be sure to perform MANDATORY load stress test before using the line.

3. ADULT: assembly required.

This product should be unpacked and assembled by an adult, including site and tree selection as well as the secure and proper installation.

4. Un-healthy tree hazard

Do not attach or use a tree that is not healthy, diseased or damaged. It may cause serious injury or death.

5. Do not attach your obstacles anywhere else on the line.

Installation Guide

Step 1: Determine your course height.

1. The line height should be set so that the user's feet are no more than 12 inches (31 centimeters) from the ground when hanging from the lowest ninja obstacle.


As a starting height to set your line at, have the lowest (height) user reach out above their head as high as they can. Measure that height (from the ground to the tips of their outstretched hands) and then add an additional 24 inches (62cm) which is 12 inches for clearance plus 12 inches for the ninja line sagging towards the ground with the user's weight. For example, your lowest height of ninja is 72 inches (from the ground to their outstretched finger tips), add 24 inches, and your first line height to test should be 86 inches from the ground.

2. This may take one or two adjustments to get the desired 12 inches of clearance for the ninja above the ground.

Step 2:

Wrap the tree protectors around the tree trunk.

INSTALLATION INSTRUCTIONS



SET THE LINE

01 noose the ratchet end and long line around 2 suitable trees or anchor points min 1 circumference.

fold in half to keep the slackline flat

02

feed line through the bolt on ratchet .Keep the line straight.

03 pull through all the slack, until the line is tight.

Insert the carabiners into the loops before tightening the slackline!

04

turn the ratchet over and unlock by pulling out the release lever.

05 pull the handle up and down to tighten up the slackline.

do not over fill the ratchet-tighten the line to suit your preference.

06 when the line is tight ensure the ratchet is back into the locked position using the release lever.

handle should be level with the line facing down.

always use padding between the tree and line.

the slackline is now fully set-up and ready to use

ENJOY

RELEASE THE LINE

01

unlock the ratchet by pulling out the release lever firmly.

02


firmly push the ratchet right back until the line "SNAPS" loose.

Remark: Mandatory load stress test

1. Make sure all your connections are tight.
2. Do a mandatory load test on your line. Using either a 440 LBS (200kg) load or person, have them test the ninja line by suspending the weight 5 feet(152cm) from each end.
3. Keep your course clear

Bystanders should maintain a safe distance from the line 10ft (3.1m) to prevent impacts by person's jumping down from the line. If you are unsure about your health for ninja line. Please consult with your doctor before attempting.

WARNING: Possible injury or death - Remember a ninja line can be a potential danger equipment and can cause serious injury or even death. Adult supervision is recommended.



Using your Ninja Line Training Course with obstacles

The course is a conditioning course: You will only improve over time. Do not expect to be able to complete it the first couple of times you try the course.

1. Have a stable, step ladder for the users to reach the first obstacle on the line in order to begin their course.
2. For the first couple of times, you may want to set the line height, so the users can be on their "tippy toes" taking some of their weight off their grips on the obstacles. This way they can get some sense of accomplishment, and give their muscles time to develop.
3. Then gradually raise the line's (and obstacle) height over time, until the users are actually suspended above the ground.
4. Once the users have mastered a certain order of obstacles, change them up! Try spacing them further apart too. Remember, you can add up to 9 obstacles on the course.
5. Be patient and enjoy your ninja line course.

AVERTISSEMENT! Uniquement pour un usage domestique. Ne convient pas aux enfants de moins de 3 ans. À utiliser sous la surveillance directe d'un adulte. Long cordon, risque de strangulation ! Risque de chute !
Ce jouet est destiné à une utilisation extérieure.

AVERTISSEMENT

1. Limite de poids: 440LBS (200kg)
2. ADULTE : surveillance requise, faute de quoi des blessures graves et la mort peuvent en résulter.

Il faut toujours faire preuve d'une extrême prudence lors de l'utilisation du kit de ligne Ninja. Assurez-vous d'effectuer un test de résistance de charge OBLIGATOIRE avant d'utiliser la ligne.

3. ADULTE : montage requis.

Ce produit doit être déballé et assemblé par un adulte, y compris le choix du site et de l'arbre ainsi que l'installation sûre et appropriée.

4. Danger pour la santé des arbres

N'attachez pas ou n'utilisez pas un arbre qui n'est pas en bonne santé, malade ou endommagé. Cela peut causer des blessures graves ou la mort.

5. N'attachez pas vos obstacles ailleurs sur la ligne.

Guide d'installation

Étape 1: Déterminez la hauteur de votre parcours.

1. La hauteur de la ligne doit être réglée de manière à ce que les pieds de l'utilisateur soient à au plus 12 pouces (31 centimètres) du sol lorsqu'il est suspendu au plus bas obstacle ninja.


Comme hauteur de départ pour régler votre ligne, demandez à l'utilisateur le plus bas (hauteur) de tendre la main au-dessus de sa tête aussi haut que possible. Mesurez cette hauteur (du sol jusqu'au bout de leurs mains tendues), puis ajoutez 24 pouces supplémentaires (62 cm), soit 12 pouces pour le dégagement et 12 pouces pour la ligne ninja s'affaissant vers le sol avec le poids de l'utilisateur. Par exemple, votre taille la plus basse de ninja est de 72 pouces (du sol au bout de ses doigts tendus), ajoutez 24 pouces et la hauteur de votre première ligne à tester doit être de 86 pouces du sol.

2. Cela peut prendre un ou deux ajustements pour obtenir les 12 pouces de dégagement souhaités pour le ninja au-dessus du sol.



Étape 2:

Enroulez les protecteurs d'arbre autour du tronc de l'arbre.




INSTRUCTIONS D'INSTALLATION



FIXEZ LA LIGNE



Insérez les mousquetons dans les boucles avant de resserrer la slackline !



RELÂCHEZ LA LIGNE




Remarque : Essai de résistance à la charge obligatoire

1. Assurez-vous que toutes vos connexions sont étroites.
2. Faites un test de charge obligatoire sur votre ligne. À l'aide d'une charge de 440 lb (200 kg) ou d'une personne, demandez-leur de tester la ligne ninja en suspendant le poids à 5 pieds (152 cm) de chaque extrémité.
3. Gardez votre cap clair

Les passants doivent maintenir une distance de sécurité de 10 pieds (3,1 m) de la ligne pour éviter les impacts par le saut de la personne. Si vous avez des doutes sur votre santé; veuillez consulter votre médecin avant d'essayer le produit.

AVERTISSEMENT: Risque de blessure ou de décès - N'oubliez pas qu'une ligne ninja peut être un équipement potentiellement dangereux et qu'elle peut provoquer des blessures graves, voire mortelles. La surveillance d'un adulte est recommandée.



Utilisation de votre parcours d'entraînement Ninja Line avec des obstacles

Ce parcours est un cours de conditionnement : vous ne ferez que vous améliorer avec le temps. Il est normal de ne pas réussir du premier coup le parcours.

1. Disposez d'un escabeau stable pour que les utilisateurs puissent atteindre le premier obstacle sur la ligne afin de commencer leur parcours.
2. Pour les deux premières fois, vous voudrez peut-être régler la hauteur de la ligne, afin que les utilisateurs puissent être sur la pointe des pieds et soulager une partie de leur poids sur les obstacles pour débuter doucement.
3. Augmentez ensuite progressivement la hauteur de la ligne (et de l'obstacle) au fil du temps, jusqu'à ce que les utilisateurs soient effectivement suspendus au-dessus du sol.
4. Une fois que les utilisateurs ont maîtrisé un certain ordre d'obstacles, il est possible de les changer ou de les espacer davantage. Vous pouvez ajouter jusqu'à 9 obstacles sur le parcours.
5. Soyez patient et profitez de votre parcours de ligne ninja.

US

If you have any questions, please contact our customer care center.
Our contact details are below:



001-877-644-9366



customerservice@aosom.com

Imported by Aosom LLC
7777 Center Ave. Suite 430
Huntington Beach, CA 92647-9998 USA
MADE IN CHINA

CA

If you have any questions, please contact our customer care center.
Our contact details are below:

Si vous avez la moindre question, veuillez contacter notre centre d'assistance à la clientèle.
Nos coordonnées sont les suivantes:



416-792-6088



customerservice@aosom.ca

Imported by Aosom Canada Inc.
7270 Woodbine Avenue, Unit 307, Markham, Ontario Canada
L3R 4B9
MADE IN CHINA

Importé par Aosom Canada Inc.
7270 Woodbine Avenue, unité 307, Markham, Ontario Canada
L3R 4B9
FABRIQUÉ EN CHINE

