




IN260500182V01

842-508V70

This product is only suitable for well insulated spaces or occasional use.

EN_ IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY.

FR_ IMPORTANT: A LIRE ATTENTIVEMENT ET À CONSERVER POUR CONSULTATION ULTÉRIEURE.

ES_ IMPORTANTE, LEA Y GUARDE PARA FUTURAS REFERENCIAS.

PT_ IMPORTANTE: LEIA ATENTAMENTE E GUARDE PARA CONSULTA FUTURA.

DE_ WICHTIG! SORGFÄLTIG LESEN UND FÜR SPÄTER NACHSCHLAGEN AUFBEWAHREN.

IT_ IMPORTANTE! CONSERVARE IL PRESENTE MANUALE PER FUTURO RIFERIMENTO E LEGGERLO ATTENTAMENTE.

RO_ IMPORTANT: CITIȚI CU ATENȚIE ȘI PĂSTRAȚI PENTRU CONSULTARE VIITOARE.

Model:BGP1506-02;BGP1506-28;BGP1506-03

WARNING

1.1 This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.

1.2 WARNING: In order to avoid overheating, do not cover the heater.

1.3 Children of less than 3 years should be kept away unless continuously supervised.

1.4 Children aged from 3 years and less than 8 years shall only switch on/off the appliance provided that it has been placed or installed in its intended normal operating position and they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children aged from 3 years and less than 8 years shall not plug in, regulate and clean the appliance or perform user maintenance.

1.5 CAUTION-some parts of this product can become very hot and cause burns. Particular attention has to be given where children and vulnerable people are present.

2. Introduction

2.1 Depending on the power cord type his fan heater may be used only in household, warehouses and workshops, building sites or greenhouses depending. It incorporates a thermostat and a self-resetting thermal cut-out to control the heating elements. The thermostat feels the air temperature and controls the surrounding temperature. The fan motor is controlled by thermostat and it stops when the thermostat cuts off the heating element. The self-resetting thermal cut-out will switch off the heater to ensure the safety when overheating.


3. Technical specifications

Model	BGP1506-02	BGP1506-28	BGP1506-03
Waterproof Class	IP20	IP20	IP20
Voltage	220-240V	220-240V	220-240V
required power	2000W	2800W	3000W
current	8.3-9.1A	11.7-12.7A	12.5A-13.6A
Setting	25/1000/2000W	25/1400/2800	25/1500/3000W
Self-resetting Thermostat	68°C	85°C	85°C
Size of heater (mm)	210*160*217	265*210*290	265*210*290
N.W.(KG)	1.5	2.7	2.7

3.1 Housing of steel plate and coated by heat-resistant powder .

3.2 Supplied complete with cord and plug .

4. Description of Control Panel



4.1 Left Knob : selector with heat setting

4.2 Right Knob : Thermostat dial

5. Special safety regulations

5.1 Before use, please check the marking on the power cord. Depending on the power cord type this appliance may be used in different ambient conditions:

Type	You can use the appliance in	Do not use in
H07RN-F	household, warehouses and workshops, building sites or greenhouses	
H05RN-F	household, warehouses and workshops or greenhouses	building sites
H05RR-F	household, warehouses and workshops	building sites or greenhouses
H05VV-F		

5.2 When using electrical appliance basic precautions should always be followed including below :

5.2.1 The fan heater is not suitable for use outdoors in damp weather, in bathrooms or in other wet or damp environments.

5.2.2 Please note that the fan heater can become very hot and should, therefore, be placed at a safe distance from flammable objects such as furniture, curtains and similar.

5.2.3 Do not cover the fan heater.

5.2.4 The fan heater must not be located immediately below a socket outlet.

5.2.5 Do not connect the fan heater using an on/off timer or other equipment which can automatically switch the device on.

5.2.6 The fan heater must not be placed in rooms where flammable liquids or gases are used or stored.

5.2.7 If an extension cord is used, it must be as short as possible and always be fully extended.

5.2.8 You must not connect other appliances to the same mains socket as the fan heater.

5.2.9 Do not use this fan heater in the immediate surroundings of a bath, a shower or a swimming pool

5.2.10 If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

5.2.11 Make sure heater is always under surveillance and keep children and animals away from it;

5.2.12 Do not place the appliance on moving vehicles or some where easy to be tipped over .

5.2.13 When you don't use the appliance for a long time, unplug the appliance .Don't leave the heater for a considerable amount of time when in use. Pull the plug straight out ,never remove the plug by pulling on the cord .

5.2.14 Keep the heater far from curtain or places where the air inlet can easily be blocked.

5.2.15 The power coupler is waterproof when not in sue. In order to prevent possible electric shock or leakage current ,never use the appliance with wet hand or operate the appliance when there is water on the power cord.

5.2.16 Do not dispose of electrical appliances as unsorted municipal waste,use separate collection facilities. Contact you local government for information regarding the collection systems available.If electrical appliance are disposed of in landfills or dumps, hazardous substances can leak into the groundwater and get into the food chain,damaging your health and well-being.

5.2.17 This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

5.2.18 Children should be supervised to ensure that they do not play with the appliance.

6. Using Instructions

6.1 Position the fan heater so that it stands upright on a firm surface and at a safe distance from wet environments and flammable objects.

6.2 Connect the fan heater to the mains.

6.3 Set the thermostat knob to the MAX and let the heater operate with full power.

6.4 The fan heater will switch on when the heating selector is set to one of the power settings.

6.5 Once the room reaches the required temperature, heating element will stop working and fan also stop working .Once the temperature decreased, the heating element and fan will be working. The fan heater now starts and stops automatically and thus keeps the room temperature constant.

6.6 Before switch off the heater, please turn the thermostat to Max position and turn the switch to fan position, let the appliance cool down for two minutes then turn off the heater and pull out the plug.

7. Cleaning and Maintenance

7.1 Before cleaning the appliance,disconnect it from the socket and let it cool down. The enclosure is easily to get dirty, wipe it often with soft sponge. For every dirty parts, wipe with a sponge dipped in <50°C water and mild detergent,then dry the heater enclosure with clean cloth. Be careful not to let the water enter the appliance inner. Don't splash water onto the heater,never use solvent like gasoline etc. to clean the heater,in order to protect the enclosure.

7.2 Clean the cord and plug,dry and pack it in a plastic bag.

7.3 When you store the heater, let it cool down first, keep it dry. Then cover it with a plastic bag, put in a packing box and store it in a dry, ventilated place.

8. Trouble shooting:

You can solve many common problems easily, saving you the cost of a possible service call. Try the suggestions below to see if you can solve the problem before calling the service centre.

Problem	Possible cause	Treatment
The heater does not operate,even when it is plugged in and the switch, thermostat are switched on .	The plug is loose, bad connection	Pull out the plug, check the connection of the plug and socket. Then connect again.
	No power in socket outlet	Insert the plug in a proper socket
The heating element glowing	The input voltage is too high or too low	Use power supply according to the rating on the label
	The air inlet grill is blocked	Keep the heater far way from articles like curtain, plastic bag, paper and other things which can cover the inlet or can be easily cover on the air inlet
The appliance didn't heat up, only ventilator worked	The switch was not put at heating setting	Turn the switch to heat setting
	The thermostat operated	Turn the thermostat and listen if there is open/close voice. If there is no click and the thermostat is not damaged, the heater will automatic switch on when the appliance cooled down
	The self retting cut-out operated	Turn the heater off and inspect the blockage of inlet or outlet. Disconnect the plug and wait at least 10 minutes for the protection system to reset before attempting to restart the heater.
Abnormal noise	The appliance is not stands upright	Put the heater on a level surface

Information requirement for the electric local space heaters

Contact details	MH STAR UK Ltd, 1 Northampton Cross Logistics Park, Northampton Cross Road, Northampton, NN4 9FH						
Model identifier(s): BGP1506-02							
Item	Symbol	Value	Unit	Item	Unit		
Heat output					Type of heat output/room temperature control (select one)		
Nominal heat output	P _{nom}	2	kW		single stage heat output and no room temperature control	No	
Minimum heat output (indicative)	P _{min}	1	kW		two or more manual stages, no room temperature control	No	
Maximum continuous heat output	P _{max,c}	2	kW		with mechanic thermostat room temperature control	Yes	
Power consumption					with electronic room temperature control	No	
In off mode	P _o	0	W		electronic room temperature control plus day timer	No	
In standby mode	P _{sm}	0	W		electronic room temperature control plus week timer	No	
In idle mode	P _{idle}	0	W		Other control options (multiple selections possible)		
In network standby	P _{nsm}	0	W		room temperature control, with presence detection	No	
Standby mode with display information or status					room temperature control, with open window detection	No	
Seasonal space heating energy efficiency in active mode	η _{l s,on}	85	%		distance control option	No	
					adaptive start control	No	
					working time limitation	No	
					black bulb sensor	No	
					self-learning functionality	No	
				control accuracy	No		

Information requirement for the electric local space heaters

Contact details	MH STAR UK Ltd, 1 Northampton Cross Logistics Park, Northampton Cross Road, Northampton, NN4 9FH						
Model identifier(s): BGP1506-28							
Item	Symbol	Value	Unit		Item	Unit	
Heat output					Type of heat output/room temperature control (select one)		
Nominal heat output	P _{nom}	2.8	kW		single stage heat output and no room temperature control	No	
Minimum heat output (indicative)	P _{min}	1.4	kW		two or more manual stages, no room temperature control	No	
Maximum continuous heat output	P _{max,c}	2.8	kW		with mechanic thermostat room temperature control	Yes	
Power consumption					with electronic room temperature control	No	
In off mode	P _o	0	W		electronic room temperature control plus day timer	No	
In standby mode	P _{sm}	0	W		electronic room temperature control plus week timer	No	
In idle mode	P _{idle}	0	W		Other control options (multiple selections possible)		
In network standby	P _{nsm}	0	W		room temperature control, with presence detection	No	
Standby mode with display information or status			No		room temperature control, with open window detection	No	
Seasonal space heating energy efficiency in active mode	η _{s,on}	85	%		distance control option	No	
					adaptive start control	No	
					working time limitation	No	
					black bulb sensor	No	
					self-learning functionality	No	
				control accuracy	No		

Information requirement for the electric local space heaters

Contact details	MH STAR UK Ltd, 1 Northampton Cross Logistics Park, Northampton Cross Road, Northampton, NN4 9FH					
Model identifier(s): BGP1506-03						
Item	Symbol	Value	Unit	Item	Unit	
Heat output				Type of heat output/room temperature control (select one)		
Nominal heat output	P _{nom}	3	kW		single stage heat output and no room temperature control	No
Minimum heat output (indicative)	P _{min}	1.5	kW		two or more manual stages, no room temperature control	No
Maximum continuous heat output	P _{max,c}	3	kW		with mechanic thermostat room temperature control	Yes
Power consumption					with electronic room temperature control	No
In off mode	P _o	0	W		electronic room temperature control plus day timer	No
In standby mode	P _{sm}	0	W		electronic room temperature control plus week timer	No
In idle mode	P _{idle}	0	W		Other control options (multiple selections possible)	
In network standby	P _{nsm}	0	W		room temperature control, with presence detection	No
Standby mode with display information or status					room temperature control, with open window detection	No
Seasonal space heating energy efficiency in active mode	η _{S,on}	85	%		distance control option	No
					adaptive start control	No
					working time limitation	No
					black bulb sensor	No
				self-learning functionality	No	
				control accuracy	No	



Disposal

Environmental Protection

Waste electrical production should not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or retailer for recycling advice.

If you have any questions, please contact our customer care center, Our contact details are below:

US

 001-877-644-9366

 customerservice@aosom.com

Imported by Aosom LLC
7777 Center Ave. Suite 430
Huntington Beach, CA 92647-9998 USA
MADE IN CHINA

If you have any questions, please contact our customer care center, Our contact details are below:

CA

 416-792-6088

 customerservice@aosom.ca

Imported by Aosom Canada Inc.
7270 Woodbine Avenue, Unit 307, Markham,
Ontario Canada L3R 4B9
MADE IN CHINA

Si vous avez la moindre question, veuillez contacter notre centre d'assistance à la clientèle, Nos coordonnées sont les suivantes:

 416-792-6088

 customerservice@aosom.ca

Importé par Aosom Canada Inc.
7270 Woodbine Avenue, unité 307,
Markham, Ontario Canada L3R 4B9
FABRIQUÉ EN CHINE

If you have any questions, please contact our customer care center, Our contact details are below:

UK

 0044-800-240-4004

 enquiries@mhstar.co.uk

IMPORTER ADDRESS:
MH STAR UK Ltd
1 Northampton Cross Logistics Park
Northampton Cross Road
Northampton
NN4 9FH
MADE IN CHINA

Si vous avez la moindre question, veuillez contacter notre centre d'assistance à la clientèle, Nos coordonnées sont les suivantes:

 0033-1-84166106

 aosom@mhfrance.fr

Importé par/Fabricant/REP:
MH FRANCE
2 Rue Maurice Hartmann
92130 Issy Les Moulineaux
France
FABRIQUÉ EN CHINE

Si tiene alguna pregunta, comuníquese con nuestro Centro de Atención al Cliente, Nuestros datos de contacto son los siguientes:

ES

 0034-931294512

 atencioncliente@aosom.es

IMPORTADOR/Fabricante/REP:
SPANISH AOSOM, S.L.
C/ROC GROS, N°15.08550, ELS HOSTALET DE
BALENYÀ, SPAIN.
B66295775
HECHO EN CHINA

Se tiver alguma dúvida, por favor contacte o nosso Centro de Atendimento ao Cliente, Os nossos dados de contacto são os seguintes:

 0034-931294512

 info@aosom.pt.

IMPORTADOR/Fabricante/REP:
SPANISH AOSOM, S.L.
C.ROC GROS N.15, 08550. ELS HOSTALET DE
BALENYÀ
FEITO NA CHINA

In caso di dubbio, si prega di contattare il nostro centro assistenza clienti, I nostri dettagli di contatto sono di seguito:

IT

 0039-0249471447

 clienti@aosom.it

IMPORTATO DA/Produttore/REP:
AOSOM Italy srl
Centro Direzionale Milanofiori
Strada 1 Palazzo F1
20057 Assago (MI)
P.I.: 08567220960
FATTO IN CINA

Wenn Sie Fragen haben, wenden Sie sich bitte an unser Kundendienstzentrum, Unsere Kontaktdaten stehen unten:

DE

 0049-0(40)-87408465

 service@aosom.de

ADRESSE DES IMPORTEUR/Hersteller/REP:
MH Handel GmbH
Wendenstraße 309
D-20537 Hamburg
Germany
IN CHINA HERGESTELLT



FR

Cet appareil,
ses accessoires,
cordons et batteries
se recyclent

REPRISE
À LA LIVRAISON



À DÉPOSER
EN MAGASIN



À DÉPOSER
EN DÉCHÈTERIE



Points de collecte sur www.quefairedemesdechets.fr
Privilégiez la réparation ou le don de votre appareil !

FR