


AIYAPLAY

IN260600077V01_UK_370-526V70

CHILDREN'S ELECTRONIC TOY CAR



⚠ WARNING!

- Suitable for 3 years+.
- Maximum user weight: 50kg.
- Your new vehicle requires adult assembly.
- To reduce the risk of injury, adult supervision is required. Never use in roadways, near motor vehicles, on or near steep inclines or steps, swimming pools or other bodies of water; always wear shoes, and never allow more than two rider(s).

OWNER'S MANUAL

Read and understand this entire manual before using!

Please keep this manual for future reference as it contains important information.

Before first time use, charge the battery for at least 8-12 hours, no more than 20 hours.

Table of Contents

- 1. About Your New Vehicle*
- 2. Parts List*
- 3. Parts Diagram*
- 4. Assembly Steps*
- 5. How To Operation Your Vehicle*
- 6. Charging The Vehicle*
- 7. Troubleshooting Guide*
- 8. Maintaining Your Vehicle*
- 9. Disposal Of Battery*

About Your New Vehicle

Thank you for purchasing our products, we want your child to enjoy this product for years to come. Keep these points in mind as you read this guide:














Suitable age:	3 years+	Battery:	DC 24 V 7 AH *1
Load Capacity:	Under 50kg	Size of car:	1210*790*770mm
Speed:	4-6Km/h	Carton size:	1150*620*355mm
Material:	PP	Optimum Temperature:	Below 40°C Avoid to use under burning sun
Charger:	Input: AC100-240V, 50/60Hz,0.6A Output:DC24V,1A,24W	Charging time:	8-12 hours,at most 20 hours
		Fuse:	F40A, Blade Fuse

WARNING!

FOR THE SAFETY OF YOUR CHILD, PLEASE READ ALL WARNINGS AND ASSEMBLY/USE INSTRUCTIONS. KEEP THIS GUIDE FOR FUTURE REFERENCE.

- **CHOKING HAZARD - Small parts.** Not suitable for children under 36 months. The product contains small parts, keep children away when assembling.
- **ADULT ASSEMBLY REQUIRED.** The product contains small parts, which are for adult assembly only. Keep small children away when assembling.
- Always remove protective material and poly bags and dispose before assembly.







Parts List

PART NO	PART NAME	PICTURE	Q'ty (pcs)	REMARKS	PART NO	PART NAME	PICTURE	Q'ty (pcs)	REMARKS
1	Vehicle body		1		2	Windshield bar		1	
3	Seat A		1		4	Seat B		1	
5	Gear box		2		6	Wheel		4	
7	Rear axle assembly		1		8	Steering wheel		1	
9	Bumper A		1		10	Bumper B		1	
11	Fixed parts		1		12	Light bar A		1	
13	Light bar B		1	Left	14	Light bar B		1	Right

Parts List

[illegible]


Parts List

Assembly package									
PART NO	PART NAME	PICTURE	Q'ty (pcs)	REMARKS	PART NO	PART NAME	PICTURE	Q'ty (pcs)	REMARKS
26	M4x10 Screw		13		27	M4x16 Screw		23	
28	M3.5x14 Screw		2	Pre-installed on the seat	29	Washer		1	
30	Split pin		1		31	Instruction manual		1	
32	Charger		1		33	Remote control		1	Not included AAA1.5V battery
34	Spanner		2						

Parts Diagram


1	Vehicle body *1	2	Windshield bar*1
3	Seat A *1	4	Seat B *1
5	Gear box *2	6	Driving wheel*4
7	Rear axle assembly *1	8	Steering wheel*1
9	Bumper A *1	10	Bumper B*1
11	Fixed parts *1	12	Light Bar A *1
13	Light Bar B *1	14	Light Bar B*1
15	Rear Searchlight *2	16	Front Searchlight *2
17	Wheel hub *4	18	Tail light *2
19	Rear axle*1	20	M12 Washer *6
21	M10 Nut *6	22	Bogie *1
23	Square tube *1	24	Drive parts*2
25	Spring *2	26	M4X10 Screw *13
27	M4X16 Screw *23	28	M3.5X14Screw *2
29	Washer *1	30	Split pin*1

NOTE: Some Parts Shown are assembled on both sides of vehicle




Assembly Steps

Take out the parts.




- As shown in the picture, remove the tie.
- Then take out the bogie on the vehicle body.



- As shown in the picture, turn over the body, and unscrew the screw with the screwdriver.
- Then take out the rear axle on the vehicle body.


Assembly Steps

Take out the parts.



- As shown in the picture, unscrew the screw with the screwdriver.
- Then take out the square tube on the vehicle body.


1. Install the bogie.



- As shown in the picture, loosen the washer, nut and spring on the bogie, install the spring and bogie to the corresponding place, and fasten with nuts.

Assembly Steps


2. Install the square tube.



- As shown in the picture, install the square tube to the corresponding place, and Insert the bent end into the hole in the front axle, secure it with split pins and washer, then fasten with screws.


Assembly Steps

3. Install the rear axle assembly.



- As shown in the picture, install the rear axle assembly to the corresponding place, and fasten with the screws.


4. Install the drive parts.



- As shown in the picture, install the drive parts to the corresponding place, and fasten with the screws.


Assembly Steps

5. Install the rear axle.



- As shown in the picture, disconnect the rear axle parts, then put the rear axle through the car body.


6. Install the back wheels.



- As shown in the picture, install rear gear box to the side.
- Put the rear wheel through the rear axle, then install black washers to both sides and fasten with nuts.
- Fix the wheel hub to both sides .


Assembly Steps

7. Install the front wheel.



- Remove the nut and washer on the front axle.
- As shown in the picture, fix the washer, front wheel, washer and nut onto the axle in proper order.
- Fasten the nut with spanner. Fix the wheel hub. The other side is same as above.

8. Install the steering wheel.




- As shown in the picture, connect the steering wheel and gauge board middle connector.
- As shown in the picture, press and hold the button, then install the steering wheel to the corresponding places.

NOTE: When installing the steering wheel, it's better to put the line plug into the slot of steering wheel, to avoid the steering wheel nip the wire.


Assembly Steps

9. Install the bumper B.



- As shown in the picture, install the bumper B to the bumper A, and fasten with the screws.


10. Install the fixed parts.



- As shown in the picture, install the fixed parts to the bumper, and fasten with the screws.


Assembly Steps

11. Install the bumper.



- As shown in the picture, push the bumper according to the direction of the arrow and make sure to fit in position.


12. Connect the power supply.




- As shown in the picture, the wire connector plug butt.
- Plug the power connector into the terminal on battery as shown.

Assembly Steps

13. Install the seat.




- As shown in the picture, press the seat A downward to fix it.




- As shown in the picture, install the seat B to the corresponding place, and fasten with the screws.

Assembly Steps

14. Install the windshield bar.




- As shown in the picture, install the front searchlight to the windshield bar, and fasten with screws.




- As shown in the picture, press the windshield bar downward to fix it.

Assembly Steps

15. Install the light bar.




- As shown in the picture, the plug butt, and press the rear searchlight downward to fix it.



- As shown in the picture, the plug butt.
- As shown in the picture, install the light bar A to the light bar B, and fasten with the screws.


Assembly Steps

15. Install the light bar.



- As shown in the picture, the plug butt.
- As shown in the picture, press the light bar downward to fix it.

16. Install the tail light.



- As shown in the picture, push the two tail light according to the direction of the arrow and make sure to fit in position.

How To Operate Your Vehicle



WARNING!

PREVENT INJURIES AND DEATHS:

- **NEVER LEAVE CHILD UNATTENDED. DIRECT ADULT SUPERVISION IS REQUIRED.** Always keep child in view when child is in vehicle.
- Never use in roadways, near cars, on or near steep inclines or steps, swimming pools or other bodies of water.
- Always wear shoes and never allow more than two riders.
- Always sit on the seat.
- Suitable for age 3+ years; Maximum user weight is 50KGS.
- Not to be used in traffic.
- The battery on the vehicle is not replaceable.

Must confirm before using that following work which is already finished:

- **Important!** Before using the vehicle for first time, the battery needs to be charged for 8 to 12 hours, no more than 20 hours. Only an adult can charge or recharge the battery.
- Finishing the complete car to assemble according to the steps that the manual described. The plug-in package of storage battery has already been inserted well, the power has already been put through.
- All places to need the screw guarantee the screw has already been locked.


Rules for Safe Riding

READ THESE RULES ALOUD TO YOUR CHILD AND THEIR PLAYMATES AND MAKE SURE THEY UNDERSTAND THEM!

- This toy is no break. Always wear a helmet and protective clothing when riding.
- Direct Adult Supervision Required.
- Keep Children within Safe Riding Areas.
- Never driving in roadway, near motor vehicles, on lawn space, on near steep inclines or steps, swimming pools or other bodies of water.
- Use the toy only on flat surfaces. such as inside your house, garden or playground.
- Never use in the dark. A child could encounter unexpected obstacles and have an accident. Operate the vehicle only in the daytime or a well-lit area.
- It is not recommended to drive the vehicle on wet surfaces or on lopes of greater than 15 degrees.
- Do not use this vehicle outdoors when it is raining or snowing.
- Make sure you come to a complete stop before changing directions from forward to back.
- Please follow the correct weight and age limits allowed to drive this vehicle.
- It is prohibited to change the circuit or add other electric parts
- Inspect wires and connections of the vehicle periodically.
- In order to avoid accidents, please ensure the vehicle is safe before riding.
- Do not let any child touch the wheels or be near them when the car is moving .
- This vehicle has adjustable play seat belts. please instruct children how to tie the safety belt before using, guarantee the security.

How To Operate Your Vehicle

Use Operation(Ensure the power switch has been turned on)



IMPORTANT!


Always stop vehicle when changing the speed or direction to avoid damage the gear box and motor.

- (1) Turn on the general power switch first,the music can be played.
- (2) Forward
Press the "Forward and Reverse switch" to the " ↑ " position.
Press the pedal.
The vehicle drives forward.
- (3) Stop
Remove foot from the accelerator pedal to stop the car.
- (4) Reverse
Press the "Forward and Reverse switch" to the " ↓ " position.
Press the pedal.
The vehicle drives backward.
- (5) Turn on the general power switch, Then you can enjoy music by push any music button.
- (6) Turn on the "FAST and SLOW Switch" , control the speed of the car.
- (7) Turn off the " light switch", the light is not bright.

During the "Remote Control Mode", the function of "Manual Control Mode" is disabled and the child cannot control the car himself/herself ".

How To Operate Your Vehicle

(8) How to use the remote controller:



A. Slide the REMOTE and MANUAL switch to "REMOTE" position.

- "REMOTE" for Remote control mode (By parent with remote control)
- "Manual" for Manual control mode (By child with pedal control)

During the "Remote Control Mode", the function of "Manual Control Mode" is disabled and the child cannot control the car himself/herself".

Remote control first. Remote control first When the rotary switch is turned to "REMOTE", it indicates remote control status and can not be pedal. At this time, the three indicator lights are constantly on.

Operation Manual:

Take out the remote control, Open the battery compartment on the back of the remote control and add two AAA LRO3 alkaline batteries Pay attention to the polarity of the batteries. When the alignment light and speed indicator light up, it indicates that the battery installed is correct. This product does not provide dry batteries.

Button Description:

(1) Long press on the frequency key(M)2-4 seconds, Low speed LED light flashing. Turn on the power of the car, Low speed LED light keep flashing to long lighting, then frequency bind succeed. If the frequency bind failed (Low speed LED light flashing)remove the battery and repeat steps

M:Long press to match the code, short press to brake


S: Speed: press to change speed(low,middle and high speed)

▲ "Forward , ▼ " Back. ⌚ Knob switch

◀ "Left, ▶ "Right

How To Operate Your Vehicle

(8) How to use the remote controller:



(2) Brake button: Press it to stop moving; press it again to move.

(3) Speed selection key and speed indication: used to select speed of the car. Press the key once to switch the speed once. 3 speeds are cyclically switched, and the switching sequence is: low-medium-high. The speed indicator is arranged from top to bottom on the remote control: high-speed lamp, medium-speed lamp, low-speed lamp; when switching to one speed, the corresponding indicator lamp will light up. Note: The speed grade changes only when moving forward.

(4) Forward/backward keys: used for forward and backward movement control. When one of the keys is pressed, the moving speed will slowly increase to reach the set speed level. Therefore children will not have a sudden impact.

(5) Left turn/right turn key: used for left and right direction control.


(6) Knob switch: control pure manual and remote control mode. When the arrow in the middle of the remote control knob points to "REMOTE", it indicates the remote control status and cannot be manually operated. At this time, the three indicator lights are constantly on. When the arrow in the middle of the remote control knob points to "Manual", it indicates manual status and cannot be remotely controlled. At this time, the three indicator lights flash.

Note: without operation after 10 seconds, indication light will off into power saving mode.

Warning: The remote control is not a toy. It is for the adult use only, and should not be used by a child. A close adult supervision is always required. Reception range may change significantly with weather, battery, and other environmental conditions.

How To Operate Your Vehicle

(8) How to use the remote controller:




How to switch the ride on back to manual mode without a remote controller

If the remote controller is out of power or lost, and the "RC-Manual" knob on the remote controller is just in the "Remote position, the product cannot be controlled manually at this time. If you need to switch the product to manual control mode, please follow these steps:

1. Remove the seat cushion and locate the receiver.
2. Press the reset button on the remote control or receiver (with an indication label next to the button) and the product will switch back to manual mode.

How To Operate Your Vehicle


(9) How to use the Sound System & Battery Indicator



- 1. Storage device slot.
- 2. Mode button.
- 3. Music Button: Press to play music.
- 4. Decrease volume.
- 5. Increase volume.
- 6. Power Display: Shows battery power and charge level.

How To Operate Your Vehicle

Circuit diagram



Charging Your Vehicle

ONLY AN ADULT CAN CHARGE AND RECHARGE THE BATTERY!

- Non-rechargeable batteries are not to be recharged.
- Do not mix old and new batteries.
- Do not mix alkaline standard (carbon-zinc), or rechargeable (nickel-cadmium) batteries.
- Batteries are to be inserted with the correct polarity.
- Exhausted batteries are to be removed from the toy.
- The supply terminals are not to be short-circuited.
- Rechargeable batteries are only to be charged under adult supervision.
- Rechargeable batteries are to be removed from the toy before being charged.
- The transformers or battery charger used with the toy are to be regularly examined for damage to the cord, plug, enclosure and other parts, and in the event of such damage, they must not be used until that damage had been repaired.

WARNING!

• PREVENT FIRE AND ELECTRIC SHOCK:

- Use the only rechargeable battery and charger supplied with your vehicle. NEVER substitute the battery or the charger with another brand. Using another battery or charger may cause a fire or explosion.
- Do not use the battery or charger for any other product. Overheating, fire or explosion could occur.
- NEVER modify the electric circuit system. Tampering with the electric system may cause a shock, fire or explosion or may permanently damage the system.
- Do not allow direct contact between battery terminals. Fire or explosion can occur.
- Do not allow any type of liquid on the battery or its components.

Charging Your Vehicle

WARNING!




• **PREVENT FIRE AND ELECTRIC SHOCK:**

- Explosive gasses are created during charging. Do not charge near heat or flammable materials. Charge the battery in a well-ventilated area **ONLY**.
- NEVER pick up the battery by the wires or charger. Damage can occur to the battery and may cause a fire. Pick up the battery by the case **ONLY**.
- Charge the battery in a dry area **ONLY**.
- Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the State of California to cause cancer and reproductive harm. **Wash hands after handling.**
- Do not open the battery. Battery contains lead acid and other materials that are toxic and corrosive.
- Do not open the charger. Exposed wiring and circuitry inside case may cause electric shock. Only adults may handle or charge the battery. NEVER allow child to handle or charge the battery. Battery is heavy and contains lead acid (electrolyte).
- Do not drop the battery. Permanent damage to the battery could occur or cause serious injury.
- Before charging the battery, check for wear or damage to the battery, charger, its supply cord and the connectors. DO NOT charge the battery if any damage to parts has occurred.
- Do not allow the battery to drain completely. Recharge the battery after each use or once a month if not used regularly.
- Do not charge battery upside down.
- Always secure the battery with the bracket. Battery can fall out and injure a child if vehicle tips over.
- A recommendation for adult supervision of young children.
- The toy should be used with caution since skill is required to avoid falls or collisions causing injury to the user or third parties.

- The charging input socket is **BELOW THE SEAT**.
- The **POWER SWITCH** must be turned in **OFF** position when charging.
- Before the first use, you should charge the battery for 8-12 hours. Do not recharge the battery for more than 20 hours to avoid overheating the charger.
- When the vehicle begins to run slowly, recharge the battery.
- After each use or once a month minimum recharge time as 8 to 12 hours, no more than 20 hours.

WARNING!

This product with CHARGING PROTECTION:
When charging, all the functions will be cut off!



1. unscrew the screws, and open the seat. Find The charging input socket below the seat;
2. Plug the charger port into the input socket;
3. Plug the charger plug into a wall outlet. The battery will begin charging.
Then install the seat to the corresponding place, and fasten with the screws.

Charging Your Vehicle

BATTERY CHARGING WARNINGS

General Safety Warnings

- ⚠ "Read all instructions before using this appliance"
- ⚠ "This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved"
- ⚠ "Children shall not play with the appliance"
- ⚠ "Cleaning and user maintenance shall not be made by children without supervision"

Electrical Safety Warnings

- ⚠ "If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard"
- ⚠ "Do not use outdoors"
- ⚠ "Do not immerse in water or other liquids"
- ⚠ "Disconnect from supply when not in use"

Charger-Specific Warnings

- ⚠ "Use only with batteries specified by the manufacturer"
- ⚠ "Ensure correct polarity when connecting batteries"
- ⚠ "Do not charge damaged or leaking batteries"
- ⚠ "Remove batteries if appliance is not to be used for extended periods"
- ⚠ "Do not short-circuit the output terminals"

Troubleshooting Guide

■ PROBLEM: The vehicle does not run

PROBLEM CAUSE: The battery may low on power.

After each use, or once a month minimum, charge the battery for 8-12 hours. Do not leave the battery on the charger for more than 20 hours.

POSSIBLE CAUSE: Thermal fuse has tripped.

The vehicle is equipped with a self-resetting fuse. When the vehicle is overloaded or operated incorrectly; the self-resetting fuse will be cut off for 5-20seconds before becoming operational again. The self-resetting fuse is under the seat (Refer to the picture.)

To avoid the fuse cut off the power, follow these guidelines:

DO NOT overload the vehicle, Maximum weight allowed :50kg.

DO NOT tow anything behind the vehicle.

DO NOT drive up steep slopes.

DO NOT drive into fixed objects, which may cause the wheels to spin, causing the motor to overheat.

DO NOT drive in very hot weather, components may overheat.

DO NOT tamper with the electric system.

Doing so may create a short circuit, causing the fuse to trip.

POSSIBLE CAUSE: Wheel nuts are loose.

If the nuts are not tight, the wheels will not engage the forward gears. Tighten the nut with the nut wrench.

POSSIBLE CAUSE: Battery connector or wires are loose.

Make Sure the battery connectors are firmly plugged in to each other.

POSSIBLE CAUSE: Battery is dead.

Have you properly maintained the battery according to the directions? Is the battery old? Your battery may need to be replaced.

POSSIBLE CAUSE: Electric system is damaged.

Water may have corroded the system, or loose dirt, gravel or sand might have jammed the switch.

POSSIBLE CAUSE: Motor is damaged.

The motor needs professional repair.

■ PROBLEM: The battery will not recharge.

POSSIBLE CAUSE: Battery connector or adapter connector is loose.

Make sure the battery connector and adapter connector are firmly plugged together.

POSSIBLE CAUSE: Charger is not plugged in.

Make sure the charger is plugged into the wall outlet and the power flow to the outlet is on.

POSSIBLE CAUSE: Charger is not working.

Is the charger warm while charging? If not, the charger may be broken and may need to be replaced.

Troubleshooting Guide

■ PROBLEM: The vehicle does not run very long.

POSSIBLE CAUSE: Battery may be undercharged.

You may not be charging the battery long enough. After each use, or once a month minimum, charge the battery for 8 to 12 hours. Do not leave the battery on the charger for more than 20 hours.

POSSIBLE CAUSE: Battery is old.

The battery will eventually lose the ability to hold a charge. Depending on the amount of use, and varying conditions, the battery should operate for one to three years. Replace the battery with a new One.

■ PROBLEM: Battery buzzes or gurgles when charging.

This is normal and not a cause for concern. It may also be silent when charging, which is also normal.

■ PROBLEM: Charger feels warm when recharging battery.

This is normal and not a cause for concern.

Maintaining Your Vehicle

- It is parents' responsibility to check main parts of the toy before using, Must regularly examine for potential hazard, such as the battery, charge, cable or cord, plug, screws are fastening enclosure of other parts and that in the event of such damage, the toy must not be until that damage had been properly removed.
- Make sure the plastic parts of the vehicle are not cracked or broken.
- Occasionally use a lightweight oil to lubricate moving parts such as wheels.
- Park the vehicle indoors or cover it with a tarp to protect it from wet weather.
- Keep the vehicle away from sources of heat, such as stoves and heaters. Plastic parts may melt.
- Recharge the battery after each use. Only an adult can handle the battery. Recharge the battery at least once a month when the vehicle Raider is not being used.
- Do not wash the vehicle with a hose. Do not wash the vehicle with soap and water. Do not drive the vehicle in rainy or snowy weather. Water will damage the motor, electric system and battery.
- Clean the vehicle with a soft, dry cloth. To restore shine to plastic parts, use a non-wax furniture polish. Do not use car wax. Do not use abrasive cleaners.
- Do not drive the vehicle in loose dirt, sand or fine gravel which could damage moving parts, motors or the electric system.
- When not using, all the electrical source should be turn off. Turn off the power switch and disconnect the battery connection.

Disposal Of Battery

Disposal Of Battery



- Your sealed lead-acid battery must be recycled or disposed of in an environmentally sound manner.
- Do not dispose of your lead-acid battery in a fire. The battery may explode or leak.
- Do not dispose of a lead-acid battery in your regular, household trash. The incineration, land filling or mixing of sealed lead-acid batteries with household trash is prohibited by law.
- Return an exhausted battery to your local approved lead-acid battery recycle, such as a local seller of automotive batteries.
- Contact your local waste management officials for other information regarding the environmentally sound recycling and disposal of lead-acid batteries.
- The battery must be charged only by adult .Please charge the product before using!
- The toy should not be connected to excessive powers (more than the quantity specified herein), and it should not be operated during charging process.
- Any rechargeable battery must only be charged under adult's supervision.
- Battery charger shall regularly check the wires, plugs. casing and other parts for damage and found damage should stop using and restored.
- Open the battery cover on the remote control, and put two pieces of batteries,paying attention to batteries polarity. Replace the battery cover and lock with screws (please replace the battery according to the above steps and should be done by adult) .
- All batteries should be inserted with the correct polarity.
- Non-rechargeable battery should not be charged, please remove any running-off battery from the toy.
- Do not use old and new batteries together, or mix different types of batteries.
- The battery charger used with the toy are to be regularly examined for damage to the cord, plug, enclosure and other parts, and in the event of such damage, they must not be used until that damage had been repaired.

Our products are suitable for

ASTM F963; GB6675,GB19865; EN71 and EN62115 standard.

UK

If you have any questions, please contact our customer care centre.

Our contact details are below:



0044-800-240-4004



enquiries@mhstar.co.uk

IMPORTER ADDRESS:

MH STAR UK LTD

1 Northampton Cross Logistics Park

Northampton Cross Road

Northampton

NN4 9FH

0800 240 4050

enquiries@mhstar.co.uk

MADE IN CHINA